

ANPING MENGKE
WIRE MESH MANUFACTURE CO., LTD



Australia Temporary Fence

CATALOG

Fencing System



info@walcoom.com



Australia Temporary Fence

Australia temporary fence is a kind of temporary fence manufactured in accordance with Australian Standard AS 4687-2007 Temporary Fencing and Hoardings and is designed to withstand harsh Australian climates.

It is constructed by galvanized welded wire mesh and round tubes, which provides a smooth surface with excellent rust & corrosion resistance performance and a rigid structure that works well for years.

Australia temporary fence is an ideal choice for preventing unauthorized access and is widely used in infrastructure, civil, industrial, commercial & demolition sites, construction sites, accident spots and a wide range of major public events.





Specification

A Height: 1800 mm, 2100 mm, etc.

B Width: 2100 mm, 2400 mm, 2900 mm, etc.


C Wire Diameter: 2.5 mm, 3.0 mm, 3.5 mm,
3.8 mm, 4.0 mm, 5.0 mm

D Mesh Opening: 50 mm × 100 mm,
50 mm × 150 mm, 60 mm × 150 mm,
75 mm × 100 mm, 75 mm × 150 mm

E Frame: Round pipe (outside diameter 32
mm, 38 mm, 40 mm, 42 mm, 48 mm)

F Clamp: metal clamp

G Feet: 580 mm x 245 mm x 130 mm,
600 mm x 220 mm x 150 mm



> hot dipped galvanized before welding or hot dipped galvanized after welding




Fence Panels & Gates

⊕ Econo Fence Panel



⊕ Heavy Duty Panel



⊕ Extra Large Panel



⊕ Fence Panel with Bracing



⊕ Fence Gate Between Panels



⊕ Fence Gate At The End of Panel



⊕ Independent Fence Gate





Components & Accessories

The main component of Australia temporary fence is welded fence panels, panel clamps and plastic feet as shown below.

Fence Panels

⊕ Fence panels



⊕ Fence panel installation



Plastic Feet

⊕ Plastic feet



⊕ Plastic feet installation



Panel Clamps

⊕ Fence clamps



⊕ Fence clamp installation



Optional Accessories

Braces & Shade Cloth

⊕ Braces



⊕ Shade cloth



Handrails & Dog Bars

⊕ Handrails



⊕ Dog bars



Razor Wire & Barbed Wire

⊕ Razor wires



⊕ Barbed Wire





Production Flow Chart

- + Step 1**

.....

Raw materials (galvanized steel wires)
- + Step 2**

.....

Raw materials (galvanized steel pipes)
- + Step 3**

.....

Steel wire straightening and cutting
- + Step 4**

.....

Wire mesh welding
- + Step 5**

.....

Pipe cutting
- + Step 6**

.....

Fence frame welding
- + Step 7**

.....

Temporary fence panel welding
- + Step 8**

.....

Temporary fence panel polishing
- + Step 9**

.....

Temporary fence panel spraying
- + Step 10**

.....

Finished Australia temporary fence panels



Package & Delivery



FENCE PANEL PACKAGE



PLASTIC FEET PACKAGE



FENCE DELIVERY





Features & Application

Features

⊕ Smooth and elegant appearance

The surface is well treated to eliminate all burrs for safe installation and removal.

⊕ Solid and strong base support

The concrete inside the plastic feet provide a solid and strong base support for the temporary fence.

⊕ Full hand welding technology

This full welding technology provides a strong structure to extend its service life and prevent breakage.

⊕ Easy installation and removal

All assemble and disassemble work can be done by one single person without digging holes, which saves both time and labor.

⊕ Excellent applicability

It can be placed on a variety of grounds including soil, sand, asphalt and concrete surfaces.

⊕ Great cost effective

It can be installed and removed for many times and for different uses.

Application

Australia temporary fence is widely used in infrastructure, civil, industrial, commercial & demolition sites, construction sites, accident spots and a wide range of major public events.



GARDENS



BASKETBALL COURT



CONSTRUCTION SITES



ROADSIDE



PARKS



INDUSTRIAL SITES



ANPING MENGKE

WIRE MESH MANUFACTURE CO., LTD



East industrial Zone, Anping, Hebei,
China.



info@walcoom.com

