

ANPING MENGKE
WIRE MESH MANUFACTURE CO., LTD



Barbed Wire

CATALOG

Fencing System



info@walcoom.com



Barbed Wire

Barbed wire is a kind of modern security fencing materials, Barbed wire can be installed as deterrent to the perimeter intruders with piecing and cutting razor blades mounted at the top of the wall. Galvanized barbed wire offers a great protection against corrosion and oxidation caused by the atmosphere. Its high resistance allows greater spacing between the fencing posts. It used for grass boundary, railway, highway isolation protection



Specification

Wire Materials: high quality steel wire (Electro galvanized, Hot dip galvanized, PVC coated), and PVC wire in blue, green, yellow and other colors. The core wire of PVC wire can be galvanized wire or black wire.

Characteristics: anti-corrosion, anti-ageing, solarization resistance, durable, etc.

Applications: Barbed wire is mainly used in protecting of grass boundary, railway, highway, nation defence, airport, orchard, etc. It has an excellent protective performance, beautiful appearance, various patterns.

⊕ Galvanized barbed wire

Wire Diameter (BWG)	Barb Distance 3"	Barb Distance 4"	Barb Distance 5"	Barb Distance 6"
12 × 12	6.06	6.75	7.27	7.63
12 × 14	7.33	7.90	8.30	8.57
12.5 × 12.5	6.92	7.71	8.30	8.72
12.5 × 14	8.10	8.81	9.22	9.562
13 × 13	7.98	8.89	9.57	10.05
13 × 14	8.84	9.68	10.29	10.71
13.5 × 14	9.60	10.61	11.47	11.85
14 × 14	10.45	11.65	12.54	13.17
14.5 × 14.5	11.98	13.36	14.37	15.10
15 × 15	13.89	15.49	16.66	17.50
15.5 × 15.5	15.34	17.11	18.40	19.33

⊕ PVC Coated Barbed Wire

Wire Diameter		Barbs distance	Barb length
Before coating	After coating		
1.0–3.5 mm	1.4–4.0 mm	75–150 mm	15–30 mm
BWG 20 – BWG 11	BWG 17 – BWG 8		

PVC coating thickness: 0.4–0.6 mm; different colors or length are available at customers request



ANPING MENGKE

WIRE MESH MANUFACTURE CO., LTD



East industrial Zone, Anping, Hebei,
China.



info@walcoom.com

